



ELSEVIER

Journal of Pure and Applied Algebra 117 & 118 (1997) 637–638

JOURNAL OF
PURE AND
APPLIED ALGEBRA

Author Index Volume 117 & 118 (1997)

Agnarsson, G., The number of outside corners of monomial ideals	3– 21
Arnaudiès, J.-M. and A. Valibouze, Lagrange resolvents	23– 40
Becker, E., R. Grobe and M. Niermann, Radicals of binomial ideals	41– 79
Berry, T.G., Parameterization of algebraic space curves	81– 95
Beukers, F., On the sequence of polynomials	97–103
Capani, A., G.D. Dominicis, G. Niesi and L. Robbiano, Computing minimal finite free resolutions	105–117
Cattani, E. and A. Dickenstein, A global view of residues in the torus	119–144
Chistov, A.L., Polynomial-time computation of the dimensions of components of algebraic varieties in zero-characteristic	145–175
Cohen, A.M., G. Ivanyos and D.B. Wales, Finding the radical of an algebra of linear transformations	117–193
Colin, A., Solving a system of algebraic equations with symmetries	195–215
de Graaf, W.A., Calculating the structure of a semisimple Lie algebra	319–329
Dickenstein, A., see E. Cattani	119–144
Dominicis, G.D., see A. Capani	105–117
Donati, L., Sets of convergent power series given by differential conditions	217–227
Emiris, I.Z., A. Galligo and H. Lombardi, Certified approximate univariate GCDs	229–251
Evdokimov, S.A. and I.N. Ponomarenko, On the geometric graph isomorphism problem	253–276
Galligo, A., see I.Z. Emiris	229–251
Giusti, M., J. Heintz, K. Hägele, J.E. Morais, L.M. Pardo and J.L. Montaña, Lower bounds for diophantine approximations	277–317
Grobe, R., see E. Becker	41– 79
Hägele, K., see M. Giusti	277–317
Heintz, J., see M. Giusti	277–317
Hendriks, P.A., An algorithm for computing a standard form for second-order linear q -difference equations	331–352
Ivanyos, G., see A.M. Cohen	117–193
Laubenbacher, R.C., and C.J. Woodburn, An algorithm for the Quillen–Suslin theorem for monoid rings	395–429
Littelmann, P., An algorithm to compute bases and representation matrices for SL_{n+1} -representations	447–468
Lombardi, H., see I.Z. Emiris	229–251
Montaña, J.L., see M. Giusti	277–317
Morais, J.E., see M. Giusti	277–317
Mourrain, B., Isolated points, duality and residues	469–493
Niermann, M., see E. Becker	41– 79
Niesi, G., see A. Capani	105–117
Oaku, T., Algorithms for the b -function and D -modules associated with a polynomial	495–518
Pardo, L.M., see M. Giusti	277–317
Pommersheim, J.E., Barvinok’s algorithm and the Todd class of a toric variety	519–533
Ponomarenko, I.N., see S.A. Evdokimov	253–276
Robbiano, L., see A. Capani	105–117
Roelofs, M., see M.A.A. van Leeuwen	431–445

Schenck, H., and M. Stillman, Local cohomology of bivariate splines	535-548
Singer, M.F. and F. Ulmer, Linear differential equations and products of linear forms	549-563
Sombra, M., Bounds for the Hilbert function of polynomial ideals and for the degrees in the Nullstellensatz	565-599
Sottile, F., Real enumerative geometry and effective algebraic equivalence	601-615
Stillman, M., see H. Schenck	535-548
Ulmer, F., see M.F. Singer	549-563
Valibouze, A., see J.-M. Arnaudiès	23- 40
van der Hoeven, J., On the computation of limsup	381-394
van Hoeij, M. and J.-A. Weil, An algorithm for computing invariants of differentials Galois groups	353-379
van Leeuwen, M.A.A. and M. Roelofs, Termination for a class of algorithms for constructing algebras given by generators and relations	431-445
Wales, D.B., see A.M. Cohen	117-193
Weil, J.-A., see M.van Hoeij	353-379
Woodburn, C.J., see R.C. Laubenbacher	395-429
Yokoyama, K., A modular method for computing the Galois groups of polynomials	617-636