

Index

- Ablation, 70–74, 76, 78, 89–106
 modeling blend rates, 101–104
- Abrasion resistance, 158
- Absorption band strength, 281
- Absorption coefficient, 74–78
 optimizing, 100–101
- Absorption wavelength, 281
- Acylation reactivity, 283, 285–288
- Adhesion, 57
- Adhesives, 38
- Amic acid, 373, 379–391, 393–394
- Amines, 371, 374, 380
- Ammonia, 48
- Amorphous structure, 25–26, 29, 33, 115
- Anhydride, 371, 374, 380
- Anisotropy, 202, 209–210, 356, 358, 368
- Annealing, 6, 123–125, 130, 336
- Asymmetrical stretching, 356
- Atomic abundance, 161, 166
- Atomistic models, 193
- Azeotropes, 116–117
- Beading, 55–56
- Beer's law, 74
- β -relaxation, 186, 266
- Birefringence, 248, 258, 300, 310, 321, 328,
 344, 362–364
 control of, 331–336
 uniaxial negative, 358–359
- 2,2'-bis(3,4-carboxyphenyl)hexafluoropropane
 dianhydride, 374–377
 NMR spectra, 377, 383–385, 392–394
- 1,1'-bis(3,4-carboxyphenyl) sulfone dianhydride,
 374
- 1,4-bis(3,4-dicarboxytrifluorophenoxy)-tetra-
 fluorobenzene dianhydride, 289–
 290, 301
 synthesis of, 290–292
- 2,2'-bis(trifluoromethyl)-4,4'-diaminobiphenyl,
 352–356
- 2,2-bis(trifluoromethyl)-4,4-difluoro-1,3-
 dioxole, 25, 115
 monomer synthesis, 26–28
- Born–Oppenheimer approximation, 193
- Carbon dioxide, 137
- Carbon–fluorine bond, 50–52, 112
- Carbonyl doublet, 356–357
- Carrier solvents additives, 112
- Chain-packing density, 256
- Charge transfer, 295–296, 307
- Chemical defect, 174
- Chemical graph theory, 215–217
 advantages of, 227
- Chemical inertness, 53
- Chemical resistance, 165–167
- Chemical shift, 285–288, 373, 375
- Chlorofluorocarbons, 111; see also
 Perfluorocarbons
 uses of, 111
- Chromophores, 74
- Cladding, 64, 342
- Cloud point, 138
- Coatings, 121–122, 131–134, 136, 150–152,
 160, 162–165; see also Fluorobase
 Z, Supercritical fluids
- conformational, 39
- fluorobase Z, 150–152, 160, 162–165
 atomic abundance, 161, 166
 chemical resistance, 165–167
 coefficient of friction, 158
 curing conditions, 151–152, 156–157, 167
 formulations, 149–152
 mechanical properties, 154–156, 158–159,
 168
 optical properties, 159–165

- Coatings (*cont.*)
 fluorobase Z (*cont.*)
 surface properties, 159–165, 168
 thermal properties, 153, 155, 157–158
 weatherability, 167
 x-ray photoelectron spectroscopy, 161–165
 perfluoropolyethers, 145–146, 150–152, 159–160
 chemical resistance, 165–167
 optical properties, 159–165
 surface properties, 159–165, 168
 weatherability, 167
 poly(vinylidene fluoride), 131–134
 powder, 41
 spin, 31–32
 strain-resistance, 163–164
 structure–property relationships, 145–168
 surface tension effects, 51, 56–59, 61–63
 use of supercritical fluids in, 38–42
 Coefficient of friction, 54, 155, 158
 Coefficient of thermal expansion, 306, 310, 314–315, 320, 360
 Cohesive energy density, 214–215, 217–218
 Conformational defects, 174, 203–210
 Conformational modeling, 175, 266
 Conformational relaxation, 194, 266
 Connectivity index, 215–217, 220, 227
 Contact angle, 55–57, 61, 160–161
 concept of, 56
 effect on adhesion, 57
 hysteresis, 58
 Containment technology, 120
 Cosine coefficients, 10
 Cross linking, 150–151, 156, 159, 168
 Crystal orientation, 4, 7, 10, 17–21
 cosine coefficients, 10
 dislocation density, 11
 peak-to-background ratio, 10
 strain behavior, 10–22
 tensile testing, 12–17
 wide-angle x-ray diffraction studies, 10
 Crystal polarization, 195–198, 209
 Crystallinity, 123–126, 136, 257–258, 361–363
 index, 21
 role on polymer structure, 195–198
 Crystallographic slip, 15–16
 Curing, 151–152, 156–157, 167
 Cytop, 282
 Dew-cycle exposure, 132, 134
 Diamines, 233, 238–244, 280, 283–284, 286, 289, 289, 295–299, 307–308, 311
 Dianhydrides, 233, 235–237, 280, 283–284, 286, 289, 289, 295–299
 1,1-dichloro-1-fluoroethane, 114, 117
 Dichroic ratio, 18
 Dielectric constant, 200, 214–215, 245, 248, 250–256, 260, 306, 331–314, 316–317, 360, 368
 importance of, 213–214
 prediction of, 217–219
 equation for, 217–218
 methods for, 214–215
 use of chemical graph theory, 215–217, 227
 vs. experimental results on polyimides, 220–228
 Dioxoles, 26–27
 Dipole moment, 193, 195–199, 209
 Dislocation density, 11
 Dispersants, 112
 Dispersion energy, 50
 Dispersion polymer, 8
 Dispersion, 82, 112–114
 Dissipation factor, 360
 Doping, 79–89, 277
 laser ablation method of, 89–106
 effect of dopant concentration, 89–98
 modeling ablation rates of blends, 101–104
 optimizing absorption coefficient, 100–101
 subthreshold fluence phenomena, 104–106
 threshold fluence vs. absorption coefficient, 99–100
 threshold fluence vs. absorption coefficient, 99–100
 use of excimer lasers in, 71–73
 Elasticity, 201–202
 Electrical resistivity, 215
 Electronegativity, 50
 Electronic affinity, 284, 289
 Electronic packaging, 246
 Elongation, 17, 19–20
 End copolymer effect, 147
 End groups, 147
 End-group content, 284–285, 288, 292
 End-group density, 360
 Endotherms, 126–127
 Enthalpic interactions, 140–142
 Entropy of mixing, 140, 142
 Etching, 70, 73, 76
 kinetics of, 77, 81
 Evanescent wave, 64

- Excimer lasers, 71–73
 ablation of doped poly(tetrafluoroethylene), 89–106
 studies on poly(methyl methacrylate), 73
 use of gas mixtures in, 71
- Fedors-type cohesive energy, 217
- Ferroelectric switching, 199
- Fibrils, 12
- Film casting, 123, 126
- Flash point, 113, 116, 118
- Fluence, 72–74
 threshold, 74, 99–100
- Fluorine, 283, 288, 309
 electronegativity, 50
 ionic radius, 50
- Fluorinert, 31
- 4-fluoroaniline, 374–376
 NMR spectra, 375, 378, 381, 383–385, 389–390, 394
- Fluorobase Z, 145–146; *see also* Coatings
 coatings, 150–152, 160, 162–165
 atomic abundance, 161, 166
 chemical resistance, 165–167
 coefficient of friction, 158
 curing conditions, 151–152, 156–157, 167
 formulations, 149–152
 mechanical properties, 154–156, 158–159, 168
 optical properties, 159–165
 surface properties, 159–165, 168
 thermal properties, 153, 155, 157–158
 weatherability, 167
 x-ray photoelectron spectroscopy, 161–165
- miscibility of, 149
- overview of, 147–152
 characteristics of, 147, 152
 isothermal viscosity of, 148–149
 structure of, 148
- Fluorocarbons, 47–48
 applications of, 64–65
 carbon–fluorine bond, 50–52
 chemical inertness, 53
 electrooptical properties, 52, 63–64
 thermal stability, 53
 classification of, 47–48
 historical perspective, 48–50
- Fluoropolymer alloys, 121
- Fluoropolymers, 5, 69, 112; *see also* Teflon
 absorptivity, 64
 amorphous, 115
- Fluoropolymers (*cont.*)
 carbon–fluorine bonding in, 50–52
 chemical inertness, 53
 dielectric constants, 52, 63, 245, 250
 dispersion into perfluorocarbons, 112–115
 evaporative properties, 114
 preparation of, 114–115
 doping by laser ablation, 89–106
 effects of friction on structure, 53–55
 micromachining of, 70
 molecular modeling of, 173–188, 266
 overview of 47, 53, 69
 surface modification of, 69–70, 106
 surface tension effects, 51, 56–59, 61–63
 thermal stability of, 53
- Flutec solvents, 140–141
- ¹⁹F-NMR, 373; *see also* Nuclear magnetic resonance
- Fold surface defects, 12
- Fomblin 2, 145
- Force fields, 174–180, 187–188, 196
 parameters, 177
- Formability tests, 158
- Fourier transform infrared spectroscopy, 356, 372
 study of imidization, 372–373
- Free volume, 64, 245, 249, 254, 256, 313
- Freon, 49, 112–113
- Gas permeability, 246
- Gibbs free energy, 197
- Gladstone–Dale equation, 159–160
- Glass transition temperature, 25, 122–126, 259, 262–266
- Global warming, 120
- Gloss value, 159
- Gordon–Taylor equation, 122–123
- Group contribution methods, 214–215
- HCFCs, 114, 117
- Heat deflection temperature, 128
- Heat of vaporization, 113
- Helium plasmas, 70
- Helix reversals, 174, 182, 185–186
- Hexafluoropropylene, 141
- High performance insulators, 233
- Hildebrand solubility parameter, 113, 115
- Hydrolysis, 391–397
- Hydrolytic stability, 391–397
- Hydrophobicity, 250
- Hysteresis, 58

- Imidization, 351, 361
 Fourier transform infrared spectroscopic studies, 356, 372
 NMR spectra studies, 372
 partial fluorination, 312–313, 318, 320
 perfluorination, 292–294
 UV spectroscopic studies, 372–373
- Incubation pulses, 73
- Inerting agents, 117
- In-plane orientation, 356, 358
- Integrated optics technology, 278
- Intermolecular forces, 50–51, 56–57
- Intrinsic viscosity, 353–355, 359
- Inverse pole figure, 12, 14, 16
- Ionization potential, 284–285
- IR dichroism, 17–21
- Isopropyl alcohol, 113
- Isothermal aging, 367–368
- Isothermal crystallization, 126
- Isothermal viscosity, 148–149
- Kapton, 305, 313
- Kratky–Porod chain model, 355
- Lamellar crystals, 4, 8, 12
- Laser ablation, 89–106
- Lattice dynamics, 197
- Line broadening, 17
- Lower critical solution temperature, 138, 142
- Magic angle spinning, 17
- Mallard's law, 15
- Manhattan project, 49
- Mechanical relaxation, 203–209
- Melting-point depression, 137
- Melting-temperature depression, 126–128
- Microfibrillar texture, 363–364
- Microvoids, 31
- Moisture curing, 151–152
- Molar volume, 138–142
- Molecular modeling, 173–188
- Molecular orbital energy, 284
- Montreal Protocol, 111
- Multiphoton absorption process, 76
- Nafion, 141
- NMR spectra, 17, 392–396
 4-fluoroaniline, 374–376
 imidization studies using, 372
 perfluorinated polyimides, 292–295
- N*-perfluoroalkenes, 140
- Nuclear magnetic resonance, 372, 397
 advantages of technique, 373
 application in imide/amic acid chemistry, 379–397
 amic acid equilibria, 388–391, 397
 amic acid isomer formation, 379–388, 397
 solution hydrolysis, 391–397
 NMR spectra, 392–396
 experimental approach, 373–374
 fluorinated model compounds, 374–379
 instrumentation, 373
 study of imidization, 372
- Optical fibers, 277
- Optical interconnects, 308
- Optical interconnect technology, 278
- Optical interference filters, 336–337
- Optical loss, 321–328, 343–344
 near-IR region, 326
 visible region, 322
- Optical polymers, 307–310
- Optical transparency, 122, 127, 282, 309–310, 348
- Optical waveguides, 340–347
 fabrication of, 345
- Optical waveplates, 337–339
- Orientation factor, 362, 364
- Ozone depletion, 111, 113, 119
- Packing efficiency, 51, 59, 247, 254
- p*-catenation, 355
- Pendant group, 365–366
- Pentafluorodichloropropane, 114, 117
- Perdeuteration, 282
- Perfluoroalkyl-based polymers, 48, 58
 carbon–fluorine bonding in, 50–52
- Perfluoroalkylethyl alcohol, 49–50
- Perfluorocarbons, 111–112, 137, 140–142
 applications of, 112
 as solvents in fluoropolymer dispersions, 112–115
 mixtures and blends, 116–118
 chemistry of, 112
 carbon–fluorine bonding, 112
 environmental considerations of, 119–120
 gas solubility in, 118–119
 inerting agents, 117
 properties of, 112–113
 solubility of, 111–115
 uses of, 111–112
- Perfluorohexane, 118–119
- Perfluoropentane, 117–118

- Perfluoropolyethers, 145, 159
 applications of 146
 coatings, 146, 150–152, 160
 chemical resistance, 165–167
 optical properties, 159–165
 surface properties, 159–165, 168
 weatherability, 167
 properties of, 145–146, 153–159
 synthesis of, 146
- Perfluoropolymers, *see also* Polyimides
 optical transparency of, 282
- Perfluoropropylvinylether, 141
- Persistence length, 355–356
- Persoz hardness, 155, 158
- Photochemical decomposition, 76
- Photochemical degradation, 119
- Photon irradiation, 70
- Photothermal decomposition, 76
- Planar zigzag, 173–174, 176
- Polarizability, 50–52, 64, 196–197, 199, 217, 254, 331
- Polarization, 193
- Polyacrylates, 121
- Polyimides, 64, 70, 75, 108, 220, 233, 371
 applications of, 305–306
 optical, 245, 258, 307–310, 336–348
 primary requirement for, 309
 models for study of reaction mechanisms, 373
 aromatic, 81, 235, 305, 351, 355–357, 371
 anisotropic structure of, 356–357
 applications of, 351
 fibers, 361–368
 films, 356–361, 368
 crystallinity of, 361–363
 microelectronic applications, 360
 properties of, 233, 351–352, 357
 thin film properties, 357–361, 368
 colorless, 307
 conventional, 305–307
 copolymers, 271
 estimation of dielectric constants, 213–214
 comparison of predicted vs. experimental, 220–228
 group contribution methods, 214–215
 overview of, 213–214
 prediction of, 217–219
 quantitative structure–property relationships, 214–215
 use of chemical graph theory, 215–217, 227
 films, 287, 291–292, 295–297
- Polyimides (*cont.*)
 general structure of, 233, 249
 hydrolytic stability of, 391–397
 imidization of, 351, 361, 372
 nonfluorinated, 280, 299–300, 329–331
 nuclear magnetic resonance studies, 372–397
 partially fluorinated, 233, 298–300, 310
 characteristics of, 313, 316
 molecular structure, 314
 copolymerization of, 317–321
 fundamental properties, 318–321
 property control, 317–318, 321
 films, 316, 318, 325, 328, 336–338
 properties of, 250, 314–317
 dielectric constant 250, 316–317
 optical, 245, 321–326
 thermal expansion behavior, 314–315
 thermal stability, 266, 315–316
 water absorption, 261, 316, 318
 synthesis of, 234, 310–321
 high fluorine content, 310, 313–314
 imidization, 312–313, 318, 320
 polymerization, 312, 318
 perfluorinated, 280–282, 297, 300, 307
 characterization of, 290–291
 degree of polymerization, 294
 imidization, 292–294
 NMR and IR spectra of, 292–295
 properties of, 282, 295–300
 effect on optical transparency, 280–283
 electrical, 295, 300
 mechanical, 298–299
 optical, 280, 295–298, 300
 thermal, 298–300
 reactivity estimation, 283–289
 structure of, 282, 284, 288–289, 294
 end-group content, 284–285, 288, 292
 synthesis of, 283–295
 polymerization of, 352–356
 precursors, 312
 repeat units, 220–223
 solubility of, 352–354, 368
 solution chemistry of, 371, 397
 possible reactions and equilibria, 372
 species identification, 373, 397
 solvent–polymer interactions, 353
 strain retention of fibers, 367–368
 structure of, 361, 364
 structure–property relationships, 244
 β -transition, 266
 dielectric properties, 245, 248, 250–256, 260

Polyimides (*cont.*)structure–property relationships (*cont.*)

- electronic packaging, 246
- evolution of, 246–250
- free volume, 245, 249, 256
- gas permeability, 246
- generalizations, 250–271
- glass transition, 259, 262–266
- mechanical behavior, 245, 270–271
- nonlinear optical effects, 246
- optical properties, 245
- radiation resistance, 246
- reactivity, 245
- solubility, 246
- thermal stability, 246, 249–250, 266–269
- water absorption, 245, 248, 259, 261–262

synthesis of, 233–235, 248

- fluorinated, 235–244, 248, 250–271
- evolution of properties, 246–250

tensile properties of, 361, 365, 367

thermal stability of, 365–368

thermooxidative stability of, 367–368

two-step method of processing, 351, 371

use in optical telecommunication systems,

277–280

viscosity of, 353–355, 359

Polymer blends, 121–136

Poly(methyl methacrylate), 73–79, 121–123,

127–131

excimer laser studies on, 73

visible-near-IR absorption spectra, 279

Polytetrafluoroethylene, 5–6, 25, 49, 54, 112,

137, 141, 282

annealing of, 6

cooling behavior of, 4, 6, 8–9, 11

copolymerization, 137

autogenous pressure conditions, 138–142

superautogenous pressure conditions, 142

use of solvents in, 137–138, 140–141

crystal orientation, 4, 7, 10, 17–21

cosine coefficients, 10

dislocation density, 11

peak-to-background ratio, 10

strain behavior, 10–22

tensile testing, 12–17

wide-angle x-ray diffraction studies, 10

density of, 6

doping of neat, 79–89

equilibrium melting temperature, 6

laser ablation of doped, 89–106

effect of dopant concentration, 89–98

modeling ablation rates of blends, 101–104

Polytetrafluoroethylene (*cont.*)laser ablation of doped (*cont.*)

optimizing absorption coefficient, 100–101

subthreshold fluence phenomena, 104–106

threshold fluence vs. absorption coefficient, 99–100

threshold fluence vs. absorption coefficient, 99–100

laser ablation of neat, 73–79

mechanical behavior, 4

effects of strain, 10–22

modes of slip, 4–5, 22

tensile tests, 12–17

microstructural issues, 3–5, 8, 21–22

molecular modeling, 173–175

dynamics simulations, 180–187

chain behavior, 180–187

energy profiles, 175–180

force fields, 175–180, 187–188

structural considerations, 174, 187

morphology of, 12, 22

absorbance, 19–21

deformation, 16, 18–22

dichroic ratio, 18

effects of strain on, 12

fibrils, 12

fold surface defects, 12

overview of, 5–7

phase transformation, 6

polymer-solvent mixtures, 138–139

solubility of, 141–142

solution thermodynamics of, 137–138

crystallization behavior, 140

enthalpic interactions, 140–142

entropy of mixing, 140, 142

phase diagram, 138, 140

structure–property relationships, 4, 21–22

types of, 8

Poly(tetrafluoroethylene-

cohexafluoropropylene), 69

Poly(tetrafluoroethylene-co-perfluorovinyl

ether), 69

Polyurethanes, 149–152, 156–158, 167

Poly(vinylidene fluoride), 121–122, 127, 191

blends with poly(methyl methacrylate), 121–

136

optimization studies on, 121–136

properties of, 122

mechanical, 128–131

optical, 127–128

weatherability, 131–134

coatings, 131–134

- Poly(vinylidene fluoride) (*cont.*)
compatibility with polymers, 121–122
crystallinity issues, 123–126, 136
effect of quenching, 122–124
thermal treatment, 124–125
defects, 203–210
dielectric constant, 199–200
elasticity, 201–202
films, 195
glass transition temperature of, 122–126
historical perspectives on, 191–193
crystal phase behavior, 192–193, 205–207, 209
model of crystal polarization, 195–198
properties of, 191–192
mechanical relaxation, 203–209
molecular modeling of, 192–194, 209
atomistic models, 193
crystal structure, 195–198
dipole moment, 193, 195–199, 209
free energy of crystal, 196
lattice dynamics, 197
local electric field, 198–199, 209
material properties, 193–194, 198–199
temperature effects on, 199–203
piezoelectricity, 199–201, 209–210
pyroelectricity, 199, 203–204, 209–210
state of polarization, 193, 195–198, 209
thermodynamic considerations, 192, 194
phase transition, 203–209
refractive index of, 127
Precursors, 312
Pyrene, 79, 82
- Quantitative structure–property relationships, 4,
21–22, 214–215, 244
application to coatings, 145–168
Quasi-harmonic lattice dynamics, 197
Quenching, 122–124, 126
- Radiation resistance, 246
Radical polymerization, 28
Refractive index, 52, 63–64, 127, 159, 215,
258, 260, 277–278, 309–310, 314,
321, 328, 346, 358–359
control of, 328–332, 348
Relaxation
 β , 186, 266
conformational, 194
mechanical, 203–209
Repellency, 55–63
- Rigid rotation of lamellae, 15
Rotational diffusion, 186
- Signal speed, 213
Silicones, 117–118
Sinter, 6
Solubility effects
in copolymerization of poly(tetrafluoroethylene), 137–142
Solubility, 31, 36–38, 111–115, 118–119, 141–142, 246, 352–354, 368
Solution crystallization temperature, 138, 140–141
Solution hydrolysis, 391–397
Solution melting point, 138
Solvent additives, 112
Solvent casting, 126
Solvent–solvent mixing, 142
Spherulite, 4, 12, 132
Steric hindrance, 289, 291
Strain behavior, 10–22
Strain-resistance coatings, 163–164
Stretching band, 281
Stretching vibration, 295, 327
Subthreshold fluence, 104–106
Supercritical fluids, 35–37
applications for coatings, 38–42
adhesives, 38
analysis/extraction of paint film, 38
cement hardening, 38
conformal coatings, 39
dry cleaning, 39
dyeing, 39
fractionation, 39
handling tetrafluoroethylene, 41–42
impregnation, 39
liquid spray, 39
microemulsions, 39
mixing/blending, 40
polymerization, 40
powder coatings, 41
powders from organometallics, 41
purification, 41
sterilization, 41
surface cleaning, 41
surface engineering of polymers by infusion, 41
waste water treatments, 42
effects on polymer solubility, 36–38
overview of systems, 35
gases, 36–37
carbon dioxide, 36–37
xenon, 42–43

- Supercritical fluids (*cont.*)
 overview of systems (*cont.*)
 role of modifiers, 38
 temperature–pressure relationships, 36–37,
 42
 water, 36
- Surface excess, 62
- Surface modification of polymers, 69–70, 106
- Surface tension, 51, 56–59, 61–63
 air/material interface orientation, 59
 concept of, 52
 frictional forces, 53–55
- Suspension polymerization, 8
- Symmetrical stretching, 356
- Taber abrasion, 155
- Tack-free time, 150
- Tan delta, 360
- Teflon, 69–70, 112, 115, 282
- Teflon AF, 25
 amorphous, 25–26, 29, 33
 glass transition temperature, 25
 gas permeation in thin films, 31
 overview of, 25, 33
 properties of, 28–33
 chemical stability, 28
 dielectric constant, 28–29
 glass transition temperature, 29
 mechanical, 31
 optical transmission, 29–30
 refractive index, 29–30
 solubility, 31
 thermal conductivity, 29
 thermal stability, 28
 UV transmission in thin films, 29
 viscosity, 31–32
 volume coefficient of expansion, 29
 spin-coating of, 31–32
 structure of, 31
 effect of microvoids, 31
- Tefzel, 141
- Telecommunication, 277–278, 307
 optical applications of fluorinated
 polyimides, 336–348
 use of polymers in, 277–301
- Tensile testing, 12–17
- Tetrafluoroethylene, 25
- Thermal imidization, 390–391
- Thermal stability, 53, 246, 249–250, 266–269,
 279, 299, 309, 348, 365–368
- Thermodynamics, 192, 194
- Thermooxidative stability, 268, 367–368
- Thermoplastic, 125
- Thin-film coatings, 413; *see also* Coatings
 gas permeation in, 31
 polyimides, 233, 287, 291–292, 295–297,
 316, 318, 325, 328, 336–338, 357–
 361, 368
 poly(vinylidene fluoride), 131–134
- Threshold energy, 76
- Threshold fluence, 99–100
- Torsional energy profile, 175, 266
- Toughened plastics, 157
- Transmittancy, 159
- Tribolgy, 54
- 1,1,2 trichloroethylene, 116
- Tripos force field, 175
- Twinning, 15
- Twist conformation, 300, 352
- Uniaxial negative birefringence, 358–359
- UV exposure, 131–134
- UV radiation, 70, 74, 76
- UV spectroscopy, 372
 study of imidization, 372–373
- van der Waals volume, 219, 254
- van der Waals interactions, 54
- Vibrational state, 193
- Vibrational transition, 70
- Volatile organic compounds, 119
- Vydax, 112, 114
- Warren–Averbach procedure, 10
- Water absorption, 245, 248, 259, 261–262, 306,
 313–314, 316, 318
- Waveguides, 278–280, 300, 307–308, 310
- Weatherability, 131–134, 167
- Wide-angle X-ray diffraction, 10, 356
- Windows, 278
- Xenon, 42–43
- X-ray diffraction, 10
- X-ray photoelectron spectroscopy, 161–165
- Zero-dispersion wavelength, 277
- Zero-ozone-depletion potential, 112
- Zonyl, 49